



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/524,854 03/14/2000		Sadik Bayrakeri	SEDN/247	8158	
56015	7590 02/07/2006		EXAMINER		
	ON & SHERIDAN, LL. TENT SERVICES, LLC	BUI, KIEU OANH T			
	SBURY AVENUE	ART UNIT	PAPER NUMBER		
SUITE 100		2611			
SHREWSBU	JRY, NJ 07702	DATE MAILED: 02/07/2006			

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	on No.	Applicant(s)					
Office Action Summary		09/524,8	09/524,854 BAYRAKERI ET AL.		L.				
		Examiner	•	Art Unit					
		KIEU-OAI	NH T. BUI	2611					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply									
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD F CHEVER IS LONGER, FROM THE N rsions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comr period for reply is specified above, the maximum st re to reply within the set or extended period for reply reply received by the Office later than three months red patent term adjustment. See 37 CFR 1.704(b).	MAILING DATE OF TH s of 37 CFR 1.136(a). In no even munication. tatutory period will apply and w y will, by statute, cause the app	HIS COMMUNICATION ent, however, may a reply be tin ill expire SIX (6) MONTHS from lication to become ABANDONE	N. nely filed the mailing date of this co D (35 U.S.C. § 133).					
Status									
2a)□	Responsive to communication(s) file This action is FINAL . Since this application is in condition closed in accordance with the pract	2b)⊠ This action is n for allowance except	for formal matters, pro		merits is				
Dispositi	on of Claims								
5)□ 6)⊠ 7)□	Claim(s) 1-4,7-13 and 15-20 is/are part and 15-20 is/are part allowed. Claim(s) is/are allowed. Claim(s) 1-4, 7-13, 15-20 is/are rejected to. Claim(s) is/are objected to. Claim(s) are subject to restrict	are withdrawn from co	nsideration.						
Applicati	on Papers								
10)□	The specification is objected to by the The drawing(s) filed on is/are Applicant may not request that any objected to Replacement drawing sheet(s) including The oath or declaration is objected to	: a) ☐ accepted or b) ection to the drawing(s) b g the correction is requir	pe held in abeyance. See ed if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CF	• •				
Priority u	ınder 35 U.S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
	e of References Cited (PTO-892)		4) Interview Summary						
3) 🔲 Inform	e of Draftsperson's Patent Drawing Review (F nation Disclosure Statement(s) (PTO-1449 or r No(s)/Mail Date		Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:		-152)				

DETAILED ACTION

Remark

1. Applicant's arguments with respect to claims 1-4, 7-13, and 15-20 have been considered but are most in view of the new ground(s) of rejection. Claims 5-6 and 14 were canceled, and pending claims 1-4, 7-13, and 15-20 are for examination.

Claim Rejections - 35 USC 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-4, and 10-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ellis (US Patent 5,986,650) in view of Logston et al. (US Patent No. 5,481,542).

Regarding claim 1, Ellis discloses "a method for managing delivery of video sequences of an interactive program guide (IPG) over a communications network to a plurality of terminals" (Figs. 1, 14 and 15), the method comprising:

"pre-allocating a broadcast bandwidth in the communications network for common video sequences to be transmitted by a broadcast technique, said common video sequences comprising IPG pages for a current time period and IPG pages for a prime viewing time period; transmitting in the broadcast bandwidth the common video sequences to the plurality of terminals by way of

Art Unit: 2611

the broadcast technique", i.e., this broadcast technique refers to a standard or common broadcast is provided to a terminal in the communications network whenever there is no specific technique is requested by any specific terminal by using appropriate bandwidth pre-allocation technique (Fig. 1 and col. 4/lines 45-67 for standard broadcast), and Ellis further discloses the step of IPG pages with a current time and a prime viewing time (Figs. 13A-13C for showing video stream on the display and the current time as well as the prime time, col. 4/lines 45-67 as data streams regarding as video sequences is receiving at the set top terminal of Fig. 1, and as in Fig. 14 and col. 16/line 33 to col. 17/line 32 for video channels at the current time and the prime time can be displayed and searched at the user terminals);

"receiving a request for a specific video sequence from a specific terminal via the communications network; allocating a demandcast bandwidth in the communications network for the specific video sequence; and transmitting in the demandcast bandwidth the specific video sequence to the specific terminal via the communications network", i.e., this specific technique refers to as per a request for a specific video sequence from a specific terminal, for instance, a pay-per-view show or a particular movie and so on, a demandcast bandwidth is provided to that specific terminal based on the request using a dynamic allocation technique, with an individual interactive information stream is allocated for that specific terminal is provided (col. 7/lines 35-62 for pay-per-view is addressed as for on-demand requests from the users).

Art Unit: 2611

Ellis shows to broadcast a number of broadcasts to the users as noted above, however, Ellis does not show clearly the step of "pre-allocating a broadcast bandwidth in the communication network" before transmitting by a broadcast technique to the user, however, this technique is taught by Logston as Logston clearly shows the system are allocating bandwidth in advance before providing the services to set top box users (refer to Logston, Fig. 2 for an overview system, Fig. 3 for bandwidth allocations, and Figs. 4 & 11 for showing the pre-allocation of bandwidth to each set top box users, see further on col. 9/line 20 to col. 10/line 3 and col. 12/lines 23-45). Therefore, it would have been obvious to one of ordinary skill in the art to modify Ellis' system with Logston's teaching technique of pre-allocating bandwidth in the communication system before broadcasting the services to the users depending on their demands and requests for services.

As for claims 2 and 3, in view of claim 1, Ellis further discloses "wherein the common video sequences are delivered using an in-band portion of the communications network" and "wherein the specific video sequence is delivered using the in-band portion of the communications network", i.e., broadcast video stream including the common video sequences and the specific video sequences, or in other words, video data streams, are delivered using a broadband network of separate networks comprising in-band and our-of-band (col. 3/lines 45-54 for a broadband network for broadcast video streams as further noted on lines 55-67 of the same column).

Art Unit: 2611

As for claim 4, in view of claim 3, Ellis further discloses "wherein the requests are received using an out-of-band portion of the communications network", i.e., a request from a user or a terminal is using an outside signaling system or a separate network for communicating to the communications network referred to as using an "out-of-band portion" of the communications network, and as signaling or commands can either provided through an in-band data delivery or an out-of-band data delivery (col. 4/lines 45-67 as separate networks can be used for broadcasting including standard broadcast, cable cast or satellite transmission referred to "out-of band" portion of the communication network).

(Claims 5 and 6 were canceled).

Regarding claim 10, Ellis discloses "a method for managing delivery of a plurality of video sequences that comprise interactive program guide (IPG) pages, the method comprising: predetermining a set of video sequences to be broadcast; allocating a broadcast bandwidth within a network with a finite bandwidth for the set of video sequences; broadcasting the set of video sequences via the broadcast bandwidth to a plurality of terminals; receiving a request from a specific terminal for a specific video sequence which is not within the set of video sequences to be broadcast; allocating a demandcast bandwidth within the network for the specific video sequence; transmitting the specific video sequence via the demandcast bandwidth to the specific terminal to fulfill the request", i.e., see claim 1 above and further with a limitation of "predetermining a second set of video sequences to be broadcast, wherein the second set of video sequences comprising IPG pages for prime viewing time periods" is disclosed by Ellis (Figs. 13A-13C for showing video stream on the display and the current time as well as the prime time, col. 4/lines 45-67 as data streams regarding as video sequences is receiving at the set top

Art Unit: 2611

terminal of Fig. 1, and as in Fig. 14 and col. 16/line 33 to col. 17/line 32 for video channels at the current time and the prime time can be displayed and searched at the user terminals);

Ellis shows to broadcast a number of broadcasts to the users as noted above; however, Ellis does not show clearly the step of "pre-allocating a broadcast bandwidth in the communication network" before transmitting by a broadcast technique to the user; however, this technique is taught by Logston as Logston clearly shows the system are allocating bandwidth in advance before providing the services to set top box users (refer to Logston, Fig. 2 for an overview system, Fig. 3 for bandwidth allocations, and Figs. 4 & 11 for showing the pre-allocation of bandwidth to each set top box users, see further on col. 9/line 20 to col. 10/line 3 and col. 12/lines 23-45). Therefore, it would have been obvious to one of ordinary skill in the art to modify Ellis' system with Logston's teaching technique of pre-allocating bandwidth in the communication system before broadcasting the services to the users depending on their demands and requests for services.

As for claims 11-13, in view of claim 10, these claims with same limitations are rejected for the reasons given in the scope of claims 2-4 as discussed in details above.

4. Claims 7-9 and 15-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ellis and Logston as cited in claim 1 above and in further view of Gordon et al. (US Patent Pub 2003/0052905).

Regarding claim 7, in view of claims 1 above, Ellis does not further teach or suggest the claimed limitation; however, Gordon discloses "wherein transmitting the specific video sequence is performed using a narrowcast technique to a group of terminals which includes the specific

Art Unit: 2611

terminal", i.e., a narrowcast technique with an individual interactive information stream is allocated for that specific terminal is provided (Fig. 20, and page 13/section 0127 & 0128). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Ellis's system with a known technique as disclosed in Gordon's in order to provide users/viewers the option to select or choose to view their preferred programs on their interactive program guide as suggested by Gordon using the narrowcast technique. The motivation for doing this is to offer a flexible and convenience interactive program guide that offer video sequences, programs or events displaying according to the convenient time period of the user/viewer on demand based on their personal preferences.

As for claims 8 and 9, in further view of claim 7 above, Gordon further discloses "wherein transmitting the specific video sequence is performed using a PointCast technique" and "wherein the PointCast technique comprises a shared PointCast technique", i.e., a PointCast service and shared pointcast are used for providing information service based on the user request (page 13, section 0127 & 0128). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Ellis's system with a known technique as disclosed in Gordon's in order to provide users/viewers the option to select or choose to view their preferred programs on their interactive program guide as suggested by Gordon using the pointcast and shared pointcast technique. The motivation for doing this is to offer a flexible and convenience interactive program guide that offer especially video sequences, programs or events displaying according to the convenient time period of the user/viewer on demand per a specific group of users.

Art Unit: 2611

As for claim 15, in view of claims 7 and 10, Gordon further discloses "wherein transmitting the specific video sequence to the specific terminal comprises Pointcasting the specific video sequence to the specific terminal", i.e., a Pointcast service is used for providing information service to an individual (page 13, sections 0127 & 0128).

As for claims 16 and 17, in view of claim 15 above, Gordon further discloses "wherein transmitting the specific video sequence is performed using a narrowcast technique to a group of terminals which includes the specific terminal" and "predetermining a particular video sequence to be narrowcast to a group of terminals; allocating a narrowcast bandwidth within the network for the particular video sequence; and narrowcasting the particular video sequence via the narrowcast bandwidth to the groups of terminals", i.e., a narrowcast technique with an individual interactive information stream is allocated for that specific terminal is clearly provided (Fig. 20, and page 13/sections 0127 & 0128).

As for claim 18, in view of claim 10, Gordon further discloses "comprising: receiving a second request from a second specific terminal for the specific video sequence; and transmitting the specific video sequence via the demandcast bandwidth to the second terminal, wherein the demandcast bandwidth comprises a single stream which is used to transmit the specific video sequence to both terminals", i.e., Fig. 1 as for illustration of more than two terminals 136 belongs to subscriber equipments 106-1 to ... 106-n requesting broadcast services; as if a specific request is sending from a second user of same network, first and second terminals receive one single stream of specific broadcast service to them, for instance, a shared pointcast mode is applied as at least two or more users can receive a (single) particular information stream (page 13, section 0127).

Art Unit: 2611

As for claims 19 and 20, in view of claim 18, Gordon inherently discloses "comprising: one terminal from a group including both terminals finishing use of the specific video sequence; and continuing transmission of the specific video sequence via the demandcast bandwidth" and "comprising: another terminal from the group finishing use of the specific video sequence; and discontinuing transmission of the specific video sequence; and making the demandcast bandwidth available for re-allocation" because the broadcast technique is used herein based on the user's preference or their choice either broadcasting, pointcasting, shared pointcasting or narrowcasting; therefore, the user of one of both terminals can do whatever he desires, e.g., ordering a video sequence or a movie, and he stills continue to use the demandcast service if he prefers to order another one or discontinue the demandcast service, and making the demandcast bandwidth available for re-allocation for the server system by having the user's remote controller as for activating a command or not in ordering the demandcast service (page 13, sections 0126 & 0127 & 0128).

Conclusion

5. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to PTO New Central Fax number:

(571) 273-8300, (for Technology Center 2600 only)

Hand deliveries must be made to Customer Service Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314. Application/Control Number: 09/524,854 Page 10

Art Unit: 2611

6. Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Krista Kieu-Oanh Bui whose telephone number is (571) 272-7291. The

examiner can normally be reached on Monday-Friday from 9:00 AM to 6:30 PM, with alternate

Fridays off.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kieu-Oanh Bui Primary Examiner

Art Unit 2611

KB

Jan. 25, 2006